

State of Kansas
Department of Health and Environment

Public Notice Concerning Kansas / Federal
Water Pollution Control Permits and Applications

State of Kansas
Department of Health and Environment
Division of Environment-Bureau of Water
1000 SW Jackson St., Suite 420
Topeka, Kansas 66612-1367

Telephone: (785) 296-6432 - Ag Permits
(785) 296-5517 - All Others

Public Notice No. KS-AG-19-042/049
Public Notice No. KS-Q-19-023/041
Public Notice No. KS-EG-19-001/006

Beginning Date: February 14, 2019
Comments Due: March 16, 2019

In accordance with Kansas Administrative Regulations 28-16-57 through 63, 28-18-1 through 17, 28-18a-1 through 33, 28-16-150 through 154, 28-46-7, and the authority vested with the State by the administrator of the U.S. Environmental Protection Agency, various draft water pollution control documents (permits, notices to revoke and reissue, notices to terminate) have been prepared and/or permit applications have been received for discharges to waters of the United States and the state of Kansas for the class of discharges described below.

The proposed actions concerning the draft documents are based on staff review, applying the appropriate standards, regulations, and effluent limitations of the state of Kansas and the Environmental Protection Agency. The final action will result in a Federal National Pollutant Discharge Elimination System Authorization and/or a Kansas Water Pollution Control permit being issued, subject to certain conditions, revocation, and reissuance of the designated permit or termination of the designated permit.

Public Notice No. KS-AG-19-042/049

Pending Permits for Confined Feeding Facilities

<u>Name and Address of Applicant</u>	<u>Legal Description</u>	<u>Receiving Water</u>
J & R Cheyney Farms, LLC – Main Farm Ron Cheyney 8655 170 th Rd Chanute, KS 66720	NE/4 of Section 13 T28S, R18E Neosho County	Neosho River Basin

Kansas Permit No.: A-NENO-S020

This is a renewal permit for an existing facility for 600 head (240 animal units) of swine weighing more than 55 pounds and 250 head (25 animal units) of swine weighing 55 pounds or less for a total of 265 animal units. There has been no change in animal units from the last permit.

Deters Dairy Farm 2253 E Road Baileyville, KS 66404	NE/4 of Section 15 T02S, R11E Nemaha County	Missouri River Basin
---	---	----------------------

Kansas Permit No.: A-MONM-M014

This is a renewal permit for an existing facility for 380 head (532 animal units) of mature dairy cows, 200 head (200 animal units) of cattle (dairy heifers) weighing greater than 700 pounds, and 140 head (70 animal units) of cattle (dairy heifers) weighing 700 pounds or less; for a total of 802 animal units. There has been no change in animal units from the last permit.

Dunbar Farms, Inc.
Ronald Dunbar
3420 Douglas Road
Richmond, KS 66080

E/2 of Section 33
T18S, R20E
Franklin County

Marais des Cygnes
River Basin

Kansas Permit No.: A-MCFR-B005

This is a renewal permit for an existing facility with planned modifications. These modifications include constructing a 0.55 acre open lot and establishing a grass buffer. This facility will have a maximum capacity of 99 head (49.5 animal units) of cattle weighing 700 pounds or less. This is a 304 animal unit decrease from the last permit.

Haverkamp Bros. Inc. Transfer Station
1096 224th Road
Seneca, KS 66538

NE/4 of Section 15
T01S, R12E
Nemaha County

Missouri River Basin

Kansas Permit No.: A-MONM-S059

This is a renewal permit for an existing facility for 450 head (180 animal units) of swine weighing more than 55 pounds. There has been no change in animal units from the last permit.

Knudson Hog Farm
Gordon Knudson
1792 150th Street
Hiawatha, KS 66434

NE/4 of Section 11
T04S, R17E
Brown County

Missouri River Basin

Kansas Permit No.: A-MOBR-S012

This is a renewal permit for an existing facility for 800 head (320 animal units) of swine more than 55 pounds. There has been no change in animal units from the last permit.

Niehues Farms
Dennis Niehues
1785 96th Road
Goff, KS 66428

SE/4 of Section 35
T03S, R13E
Nemaha County

Kansas River Basin

Kansas Permit No.: A-KSNM-S036

This is a renewal permit for an existing facility for 2,400 head (960 animal units) of swine greater than 55 pounds. There has been no change in animal units from the last permit.

Seaboard Foods LLC
Schmidt Sow Farm #12 – 16
2801 Hurliman Road
Guymon, OK 73942

NW/4 of Section 33
NE/4 of Section 34
NE/4 of Section 33
NW/4 of Section 25
T31S, R39W
SW/4 of Section 30
T31S, R38W

Cimarron River Basin

Kansas Permit No.: A-CISV-H001

Federal Permit No.: KS0091626

This is a renewal permit for an existing facility for a maximum capacity of 37,850 (15,140 animal units) of swine weighing more than 55 pounds, and 39,460 (3,946 animal units) of swine weighing 55 pounds or less. There is no change in the permitted number of animal units. This facility has an approved Nutrient Management Plan on file with KDHE.

Wilroads Feed Yard
Travis McGuire
11449 Lariat Way
Dodge City, KS 67801

W/2 of Section 9
T27S, R24W
Ford County

Upper Arkansas
River Basin

Kansas Permit No.: A-UAFO-C014

Federal Permit No.: KS0080373

This is a re-issued permit for an expanding facility for 15,000 head (15,000 animal units) of cattle weighing greater than 700 pounds. The permit contains modifications including increasing head count from 14,000 to 15,000 and converting two retention structures to sediment basins. This facility has an approved Nutrient Management Plan on file with KDHE.

Public Notice No.: KS-Q-19-023/041

The requirements of the draft permit public noticed below are pursuant to the Kansas Surface Water Quality Standards, K.A.R. 28-16-28 (b-g), and Federal Surface Water Criteria.

<u>NAME AND ADDRESS OF APPLICANT</u>	<u>RECEIVING STREAM</u>	<u>TYPE OF DISCHARGE</u>
Country Club Acres, LLC PO Box 1460 Salina, KS 67401	Smoky Hill River via East Dry Creek	Process Wastewater

Kansas Permit No. I-SH33-PO11

Federal Permit No. KS0098809

Legal Description: SW¼, S9, T14S, R2W, Saline County, Kansas
Facility Name: Scouler Elevator – NE Groundwater Remediation Project
Facility Location: 3339 East Country Club Road, Salina, KS 67401

The proposed action is to reissue an existing State/NPDES permit for an existing facility. This facility extracts and treats groundwater that has been contaminated with grain fumigants from a contaminant plume located near the Scouler Grain Elevator. The proposed permit contains limits for carbon tetrachloride, ethylene dibromide, and pH, as well as monitoring for flow, volatile organic compounds, ethylene dibromide, and arsenic.

Fairway, City of

Missouri River

Stormwater Point

5505 Buena Vista
Fairway, KS 66205

Source

Kansas Permit No. M-MO34-SU01

Federal Permit No. KSR410005

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Gardner, City of
120 East Main
Gardner, KS 66030

Kansas and Marais
des Cygnes Rivers

Stormwater Point
Source

Kansas Permit No. M-MC51-SU01

Federal Permit No. KSR410042

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Johnson County
1800 West 56 Highway
Olathe, KS 66061

Kanas, Marais des Cygnes,
and Missouri Rivers

Stormwater Point
Source

Kansas Permit No. M-KS52-SU02

Federal Permit No. KSR410007

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge

of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Lake Quivira, City of
10 Crescent Boulevard
Lake Quivira, KS 66217

Kansas River

Stormwater Point
Source

Kansas Permit No. M-KS28-SU01

Federal Permit No. KSR410045

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Leawood, City of
4800 Town Center Drive
Leawood, KS 66211

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO27-SU01

Federal Permit No. KSR410015

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed

permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Lenexa, City of
12350 W 87th Street Parkway
Lenexa, KS 66215

Kansas River

Stormwater Point
Source

Kansas Permit No. M-KS34-SU01

Federal Permit No. KSR410016

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Merriam, City of
9001 W 62nd Street
Merriam, KS 66202

Kansas River

Stormwater Point
Source

Kansas Permit No. M-KS44-SU01

Federal Permit No. KSR410019

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Mission, City of
6090 Woodson
Mission, KS 66202

Kansas River

Stormwater Point
Source

Kansas Permit No. M-KS45-SU01

Federal Permit No. KSR410021

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Mission Hills, City of
6300 State Line Road
Mission Hills, KS 66208

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO37-SU01

Federal Permit No. KSR410022

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Mission Woods, City of
4700 Rainbow Boulevard
Westwood, KS 66205

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO40-SU01

Federal Permit No. KSR410046

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management

Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Olathe, City of
PO Box 768
Olathe, KS 66051-0768

Kansas River

Stormwater Point
Source

Kansas Permit No. M-KS52-SU01

Federal Permit No. KSR410042

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Overland Park, City of
8500 Santa Fe Drive
Overland Park, KS 66212

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO28-SU01

Federal Permit No. KSR410026

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Prairie Village, City of
3535 Somerset Drive
Prairie Village, KS 66208

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO38-SU01

Federal Permit No. KSR410028

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Roeland Park, City of
4600 W 51st Street
Roeland Park, KS 66205

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO35-SU01

Federal Permit No. KSR410030

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Shawnee, City of
11110 Johnson Drive
Shawnee, KS 66203

Kansas River

Stormwater Point
Source

Kansas Permit No. M-KS68-SU01

Federal Permit No. KSR410033

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Suburban Water Treatment Plant
1216 N 155th Street
Basehor, KS 66007

Kansas River

Process
Wastewater

Kansas Permit No. I-KS04-PO02

Federal Permit No. KS0101401

Legal Description: SW¼, SW¼, S23, T12S, R21E, Leavenworth County, Kansas

The proposed action is to reissue an existing NPDES/State permit for an existing facility. This is a water treatment plant that removes iron and manganese from ground water, utilizing a pressure treatment system. The proposed permit contains limits for total residual chloride, total suspended solids, and pH, as well as monitoring for total phosphorus.

Westwood, City of
2545 W 47th Street
Westwood, KS 66205

Missouri River

Stormwater Point
Source

Kansas Permit No. M-MO36-SU01

Federal Permit No. KSR410038

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Westwood Hills, City of

Missouri River

Stormwater Point

2216 W 49th Street
Westwood Hills, KS 66205

Source

Kansas Permit No. M-MO39-SU01

Federal Permit No. KSR410049

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce identified total maximum daily load (TMDL) regulated pollutants. If there is an identified TMDL regulated pollutant, surface water monitoring is required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversight of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Public Notice No.: KS-EG-19-001/006

In accordance with K.A.R. 28-46-7 and the authority vested with the State by the administrator of the U.S. Environmental Protection Agency, draft permits have been prepared for the use of the well(s) described below within the State of Kansas.

NAME AND ADDRESS OF APPLICANT

Morton Salt, Inc
1000 Morton Drive
South Hutchinson, KS 67505

Legal Description: NW2-1 and NW2-2: NW, SE, NE, S22, T2S, R6W
NW2-3 and NW2-4: SW, NE, NE, S22, T23S, R6W
NW2-5 and NW2-6: NW, NE, NE, S22, T23S, R6W

Well & Permit Number

Location

NW2-1/KS-03-155-123	Latitude: 38.037883" Longitude: -97.962306"
NW2-2/KS-03-155-124	Latitude: 38.038706" Longitude: -97.962383"
NW2-3/KS-03-155-125	Latitude: 38.039531" Longitude: -97.962381"
NW2-4/KS-03-155-126	Latitude: 38.040356" Longitude: -97.962383"
NW2-5/KS-03-155-127	Latitude: 38.041181" Longitude: -97.962389"
NW2-6/KS-03-155-128	Latitude: 38.042003" Longitude: -97.962378"

Facility Description: The proposed action is to reissue six existing Class III Injection Well permits for the wells listed above. Injection of fresh water and unsaturated brine is to be made into the Hutchinson Salt member of the Wellington formation. Mining shall not extend into the upper 40 feet of the salt deposit. The maximum operational injection pressure is not to exceed 165 pounds per square inch at the wellhead. The salt deposits beneath Morton's salt mining operations described herein are first encountered about 480 feet below ground surface and extend to a depth of about 810 feet. All construction, monitoring, and operation of these wells shall meet the requirements that apply to Class III Injection wells under the Kansas UIC Regulations, K.A.R. 28-46-1 through 28-46-44 and other requirements of KDHE.

Topeka, Kansas
Notice of Proposed EPA and KDHE Approval of Revisions to City of Topeka's Industrial Pretreatment Program

The City of Topeka has proposed changes to its industrial pretreatment program, which regulates and controls wastewater contributions from industrial and other non-domestic wastewater sources, to the city sanitary sewer. The proposed changes would adopt technically-based local limits, previously approved by the U.S. Environmental Protection Agency and the Kansas Department of Health and Environment, specifically for each City Wastewater treatment plant(s).

The City has requested EPA and KDHE approval of the proposed changes. The proposed changes have been prepared in a manner that the City believes will remain fully protective of the environment. You may obtain a copy of the proposed program changes by contacting the City of Topeka, using the contact information below.

The City and Region 7 EPA will accept comments and views on the proposed industrial pretreatment program changes for a period of 30 days following the date of this publication. All written comments and views will be considered by EPA and KDHE in determining whether it will issue final approval of the proposed changes. If no substantive comments are received, EPA and KDHE will approve the Pretreatment program changes, as proposed.

You may also request within the 30-day period that Region 7 EPA hold a public hearing on the proposed revisions. Any request for public hearing should be directed to Region 7 EPA and should indicate the interest of the person filing such request and the reasons why a hearing is warranted.

Comments and any public hearing requests should be provided by mail, email or other written form to the following:

U.S. Environmental Protection Agency
Region 7
11201 Renner Boulevard
Lenexa, Kansas 66219
Attn: Paul T. Marshall (WWPD/WENF)
Pretreatment Coordinator
Marshall.Paul@epa.gov

And
City of Topeka
Water Pollution Control
1115 NE Poplar St
Topeka, Kansas 66616
Attn: David Murray
Industrial Pretreatment Coordinator
dmurray@topeka.org

Persons wishing to comment on or object to the draft documents and/or permit applications must submit their comments in writing to the Kansas Department of Health and Environment if they wish to have the comments or objections considered in the decision-making process. Comments or objections should be submitted to the attention of Livestock Waste Management Section for agricultural related draft documents or applications, or to the permit clerk for all other permits, at the Kansas Department of Health and Environment, Division of Environment, Bureau of Water, 1000 SW Jackson St., Suite 420,

Topeka, Kansas 66612-1367.

All comments regarding the draft documents or application notices received on or before **March 16, 2019**, will be considered in the formulation of final determinations regarding this public notice. Please refer to the appropriate Kansas document number (KS-AG-19-042/049, KS-Q-19-023/041, KS-EG-19-001/006) and name of the applicant/permittee when preparing comments.

After review of any comments received during the public notice period, the Secretary of Health and Environment will issue a determination regarding final agency action on each draft document/ application.

If response to any draft document / application indicates significant public interest, a public hearing may be held in conformance with K.A.R. 28-16-61 (28-46-21 for UIC).

All draft documents / application and the supporting information including any comments received are on file and may be inspected at the offices of the Kansas Department of Health and Environment, Bureau of Water, 1000 SW Jackson St., Suite 420, Topeka, Kansas. These documents are available upon request at the copying cost assessed by KDHE. Application information and components of plans and specifications for all new and expanding swine facilities are available on the Internet at <http://www.kdheks.gov/feedlots>. Division of Environment offices are open from 8 a.m. to 5 p.m., Monday through Friday, excluding holidays.

Lee A. Norman, M.D.
Acting Secretary
Kansas Department of Health and Environment